

STRENGTHENING THE WORLD OF ROOFING






ERW Tubes.

strength

designs

Profiles are designed to give better

Available in attractive colours and



PIL 32/252 Trapezoidal Roofing Profile





Material Specifications

18

Zinc Alum Steel Sheet (Bare-Galvalume) Non-Colour (55% Aluminium, 43.4% Zinc, 1.6% Silicon)

Al-Zinc Coating AZ150



Z120, Z180, Z275 Zinc Coating

Paint Coating RMP/SMP

Painting thickness (top) 18-20 microns

Painting thickness (bottom) 5-7 microns Alkyd baked coat

Glossy finish (Optional-Matt finish) Surface paint reflection

Pre-Painted Galvalume steel sheet (Alu-Zinc alloy coated) (55% Aluminium, 43.4% Zinc, 1.6% Silicon)

Zinc Coating

Paint Coating Regular Modified Polyesyter (RMP) /

Silicon Modified Polyester (SMP)

Painting thickness (top) 18-20 microns

Painting thickness (bottom) 5-7 microns Alkyd baked coat

Surface paint reflection Glossy finish (Optional-Matt finish)

Sky Light Fiberglass/ Poly Carbonate Sheet


Technical Specifications

Colour Coated Galvalume


Base Material	IS 513	
Tensile Strength	240Mpa - 550Mpa	
Galvanizing	IS: 277/JIS:3302	
Zinc Coating	120gsm - 275gsm (both side mass)	
_	15 - 20microns	
Type of Coating	RMP/SMP, PVDF2 & HDPC	
Thickness Range	0.47 to 1.0mm	
Material	Yied Strength	TCT
DDG!	0.4014	0.47.1.0
PPGI	240Mpa	0.47-1.0
Bare Galvalume	550Mpa	0.47-0.50

550Mpa





constraints of reproduction. Actual shades can have slight tonal difference.



0.47-0.50

ACCESSORIES

Ridge Piece (Cross Section)



Plain Ridge



Corner Flashings



Barge Board



OTHER CRFS BUILDING PRODUCTS

Lip-Channels C-Channels Z-Purlin (90° Lip) Z-Purlin (45° Lip) Multi-Beam

75 / 230 Decking profile

52 / 271 Decking profile

44 / 130 Decking profile



PENNAR INDUSTRIES LIMITED

(An ISO 9001:2000 Certified Company)

A leading manufacturer & supplier of

A leading manufacturer & supplier of 'Cold Roll Formed Sections, Pressed Components, ERW Precision Tubes & Cold Rolled Steel Strips'

REGISTERED OFFICE

3rd Floor, Saptagiri Towers, Begumpet, Hyderabad - 500 016, India. Phone: +91 40 27766781, Fax: +91 40 27768056 Website: www.pennarindia.com

CENTRAL MARKETING OFFICE

IDA, Patancheru, Medak Dist - 502 319 Phone: +91 8455 242184-93, Fax: +91 8455 242424 / 242161 E-mail: marketing@pennarindia.com

MARKETING OFFICES

- •Bangalore (080 23227703 / 23220667) •Chennai (044 24893962)
 - •Coimbatore (0422 2539770) •Faridabad (0129 2231235)
 - Hosur (04344 276874) Hyderabad (040 27766781)
 - •Indore (0731 2705075) •Kolkata (033 24843138)
 - Mumbai (022 25375493) Pune (020 25548660)
 - Tarapur (02525 272609 / 272517)